СПИСОК ЛИТЕРАТУРЫ | REFERENCES

1. Johnsen RG, Armstrong DG, et al. The Charcot foot in diabetes. *J Am Podiatr Med Assoc*. 2011;101(5):437-446. doi: https://doi.org/10.7547/1010437
2. Дедов И.И., Шестакова М.В., Сухарева О.Ю., и др. Алгоритмы специализированной медицинской помощи больным сахарным диабетом / Под редакцией И.И. Дедова, М.В. Шестаковой, О.Ю. Сухаревой. 12-й выпуск // *Сахарный диабет*. — 2025. — Т. 28. — №5S. — С. 1-175. [Dedov II, Shestakova MV, Sukhareva OY, et al. Standards of Specialized Diabetes Care / Edited by Dedov I.I., Shestakova M.V., Sukhareva O. Yu. 12th Edition. *Diabetes mellitus*. 2025;28(5S):1-175. (In Russ.)] doi: https://doi.org/10.14341/DM20255S
3. Приказ Министерства здравоохранения РФ от 28 февраля 2019 г. N 103н "Об утверждении порядка и сроков разработки клинических рекомендаций, их пересмотра, типовой формы клинических рекомендаций и требований к их структуре, составу и научной обоснованности, включаемой в клинические рекомендации информации". Приложение N 2 к Требованиям к структуре клинических рекомендаций, составу и научной обоснованности, включаемой в клинические рекомендации информации, утвержденным приказом Министерства здравоохранения Российской Федерации от 28 февраля 2019 г. №103н (с изменениями от 23 июня 2020 г.)
4. Pinzur MS. Current concepts review: Charcot arthropathy of the foot and ankle. *Foot Ankle Int*. 2007;28(8):952-959. doi: https://doi.org/10.3113/FAI.2007.0952
5. Rabinovich A. Conservative treatment can be efficacious in treatment of Charcot arthropathy. *Orthopaedics Today*. 2010;11:56-58
6. Страхова Г.Ю., Какубава М.Р. Клинический опыт Центра диабетической стопы в лечении пациентов со стопой Шарко // *Инфекции в хирургии*. — 2022. — Т. 20. — №2. — С. 110-113. [Strakhova GY, Kakubava MR. The clinical experience of the Diabetic Foot Centre for treatment of Charcot Neuro-Arthropathy. *Infektsii v Khirurgii*. 2022;20(2):110–113. (In Russ.)]
7. Fabrin J, Larsen K, Holstein PE. Long-term follow-up in diabetic Charcot feet with spontaneous onset. *Diabetes Care*. 2000;23(6):796-800. doi: https://doi.org/10.2337/diacare.23.6.796
8. McEwen LN, Ylitalo KR, Munson M, Herman WH, Wrobel JS. Foot Complications and Mortality: Results from Translating Research Into Action for Diabetes (TRIAD). *J Am Podiatr Med Assoc*. 2016;106(1):7-14. doi: https://doi.org/10.7547/14-115
9. Stuck RM, Sohn MW, Budiman-Mak E, Lee TA, Weiss KB. Charcot arthropathy risk elevation in the obese diabetic population. *Am J Med*. 2008;121(11):1008-1014. doi: https://doi.org/10.1016/j.amjmed.2008.06.038
10. Галстян Г.Р., Викулова О.К., Исаков М.А., и др. Эпидемиология синдрома диабетической стопы и ампутаций нижних конечностей в Российской Федерации по данным Федерального регистра больных сахарным диабетом (2013–2016 гг.) // *Сахарный диабет*. — 2018. — Т.21. — №3. — С. 170-177. [Galstyan GR, Vikulova OK, Isakov MA, et al. Trends in the epidemiology of diabetic foot and lower limb amputations in Russian Federation according to the Federal Diabetes Register (2013–2016). *Diabetes mellitus*. 2018;21(3):170-177.] doi: https://doi.org/10.14341/DM9688
11. Бреговский В.Б., Карпова И.А. Анализ специализированной помощи больным с синдромом диабетической стопы в Санкт-Петербурге за 2010–2021 гг. // *Сахарный диабет*. — 2022. — Т. 25. — №5. — С. 477-484. [Bregovskiy VB, Karpova IA. Analysis of specialized care for patients with diabetic foot syndrome in St. Petersburg for 2010–2021. *Diabetes mellitus*. 2022;25(5):477-484. (In Russ.)] doi: https://doi.org/10.14341/DM12914
12. Schon LC, Easley ME, Weinfeld SB. Charcot neuroarthropathy of the foot and ankle. *Clin Orthop Relat Res*. 1998;(349):116-131. doi: https://doi.org/10.1097/00003086-199804000-00015
13. Каландия М.М., Токмакова А.Ю., Галстян Г.Р. Роль конечных продуктов гликирования в развитии и прогрессировании диабетической нейроостеоартропатии // *Проблемы эндокринологии*. — 2021. — Т. 67. — №3. — С. 4-9. [Kalandiya MM, Tokmakova AY, Galstyan GR. The role of glycation end products in the development and progression of diabetic neuroarthropathy. *Problems of Endocrinology*. 2021;67(3):4-9. (In Russ.)] doi: https://doi.org/10.14341/probl12778
14. Abate M, Schiavone C, Pelotti P, Salini V. Limited joint mobility in diabetes and ageing: recent advances in pathogenesis and therapy. *Int J Immunopathol Pharmacol*. 2010;23(4):997-1003. doi: https://doi.org/10.1177/039463201002300404
15. Couppé C, Svensson RB, Kongsgaard M, et al. Human Achilles tendon glycation and function in diabetes. *J Appl Physiol*. 2016;120(2):130-137. doi: https://doi.org/10.1152/japplphysiol.00547.2015
16. Armstrong DG, Lavery LA. Elevated peak plantar pressures in patients who have Charcot arthropathy. *J Bone Joint Surg Am*. 1998;80(3):365-369. doi: https://doi.org/10.2106/00004623-199803000-00009
17. Fernando M, Crowther R, Lazzarini P, et al. Biomechanical characteristics of peripheral diabetic neuropathy: A systematic review and meta-analysis of findings from the gait cycle, muscle activity and dynamic barefoot plantar pressure. *Clin Biomech (Bristol)*. 2013;28(8):831-845. doi: https://doi.org/10.1016/j.clinbiomech.2013.08.004
18. Baker N, Green A, Krishnan S, et al. Microvascular and C-fiber function in diabetic Charcot neuroarthropathy and diabetic peripheral neuropathy. *Diabetes Care*. 2007;30(12):3077-3079. doi: https://doi.org/10.2337/dc07-10638
19. Jeffcoate WJ, Game F, Cavanagh PR. The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes. *Lancet*. 2005;366(9502):2058-2061. doi: https://doi.org/10.1016/S0140-6736(05)67029-8
20. Greco T, Mascio A, Comisi C, et al. RANKL-RANK-OPG Pathway in Charcot Diabetic Foot: Pathophysiology and Clinical-Therapeutic Implications. *Int J Mol Sci*. 2023;24(3):3014. doi: https://doi.org/10.3390/ijms24033014
21. Petrova NL, Petrov PK, Edmonds ME, Shanahan CM. Inhibition of TNF-α Reverses the Pathological Resorption Pit Profile of Osteoclasts from Patients with Acute Charcot Osteoarthropathy. *J Diabetes Res*. 2015;2015:917945. doi: https://doi.org/10.1155/2015/917945
22. Ярославцева М.В., Ульянова И.Н., Галстян Г.Р. Система остеопротегерин (OPG) -лиганд рецептора-активатора ядерного фактора каппа-В (RANKL) при диабетической нейроостеоартропатии и облитерирующем атеросклерозе артерий нижних конечностей // *Сахарный диабет*. — 2007. — Т. 10. — С. 24–27. [Yaroslavtseva MV, Ul'yanova IN, Galstyan GR. Sistema osteoprotegerin (OPG) -ligand retseptora-aktivatora yadernogo faktora kappa-V (RANKL) pri diabeticheskoy neyroosteoartropatii i obliteriruyushchem ateroskleroze arteriy nizhnikh konechnostey. *Diabetes mellitus*. 2007;10(2):24-27. (In Russ.)] doi: https://doi.org/10.14341/2072-0351-5792
23. Game FL, Catlow R, Jones GR, et al. Audit of acute Charcot's disease in the UK: the CDUK study. *Diabetologia*. 2012;55(1):32-35. doi: https://doi.org/10.1007/s00125-011-2354-7
24. Milne TE, Rogers JR, Kinnear EM, et al. Developing an evidence-based clinical pathway for the assessment, diagnosis and management of acute Charcot Neuro-Arthropathy: a systematic review. *J Foot Ankle Res*. 2013;6(1):30. doi: https://doi.org/10.1186/1757-1146-6-30
25. Trepman E, Nihal A, Pinzur MS. Current topics review: Charcot neuroarthropathy of the foot and ankle. *Foot Ankle Int*. 2005;26(1):46-63. doi: https://doi.org/10.1177/107110070502600109
26. Sämann A, Pofahl S, Lehmann T, et al. Diabetic nephropathy but not HbA1c is predictive for frequent complications of Charcot feet - long-term follow-up of 164 consecutive patients with 195 acute Charcot feet. *Exp Clin Endocrinol Diabetes*. 2012;120(6):335-339. doi: https://doi.org/10.1055/s-0031-1299705
27. Eichenholtz S. *Charcot joints.* Springfield (IL): Charles C. Thomas; 1966
28. Yu GV, Hudson JR. Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle. *J Am Podiatr Med Assoc*. 2002;92(4):210-220. doi: https://doi.org/10.7547/87507315-92-4-210
29. Chantelau EA, Grützner G. Is the Eichenholtz classification still valid for the diabetic Charcot foot? *Swiss Med Wkly*. 2014;144:w13948. doi: https://doi.org/10.4414/smw.2014.13948
30. Chantelau EA, Richter A. The acute diabetic Charcot foot managed on the basis of magnetic resonance imaging--a review of 71 cases. *Swiss Med Wkly*. 2013;143:w13831. doi: https://doi.org/10.4414/smw.2013.13831
31. Sanders LJ, Frykberg RG. *Diabetic neuropathic osteoarthropathy: The Charcot foot*. In: *The High Risk Foot in Diabetes Mellitus*. Frykberg RG, editor. New York: Churchill Livingstone; 1991. p. 325-333

32. Gratwohl V, Jentzsch T, Schöni M, et al. Long-term follow-up of conservative treatment of Charcot feet. *Arch Orthop Trauma Surg*. 2022;142(10):2553-2566. doi: https://doi.org/10.1007/s00402-021-03881-5
33. Rogers LC, Bevilacqua NJ. The diagnosis of Charcot foot. *Clin Podiatr Med Surg*. 2008;25(1):43-vi. doi: https://doi.org/10.1016/j.cpm.2007.10.006
34. Armstrong DG, Todd WF, Lavery LA, Harkless LB, Bushman TR. The natural history of acute Charcot's arthropathy in a diabetic foot specialty clinic. *Diabet Med*. 1997;14(5):357-363. doi: https://doi.org/10.1002/(SICI)1096-9136(199705)14:5<357::AID-DIA341>3.0.CO;2-8
35. Wukich DK, Raspovic KM, Suder NC. Prevalence of Peripheral Arterial Disease in Patients With Diabetic Charcot Neuroarthropathy. *J Foot Ankle Surg*. 2016;55:727–731. doi: https://doi.org/10.1053/j.jfas.2016.01.051
36. Sohn MW, Stuck RM, Pinzur M, et al. Lower-extremity amputation risk after Charcot arthropathy and diabetic foot ulcer. *Diabetes Care*. 2010;33(1):98-100. doi: https://doi.org/10.2337/dc09-1497
37. Christensen TM, Gade-Rasmussen B, Pedersen LW, et al. Duration of off-loading and recurrence rate in Charcot osteo-arthropathy treated with less restrictive regimen with removable walker. *J Diabetes Complications*. 2012;26(5):430-434. doi: https://doi.org/10.1016/j.jdiacomp.2012.05.006
38. Osterhoff G, Böni T, Berli M. Recurrence of acute Charcot neuropathic osteoarthropathy after conservative treatment. *Foot Ankle Int*. 2013;34(3):359–364. doi: https://doi.org/10.1177/1071100712464957
39. Dhawan V, Spratt KF, Pinzur MS, et al. Reliability of AOFAS diabetic foot questionnaire in Charcot arthropathy: stability, internal consistency, and measurable difference. *Foot Ankle Int*. 2005;26(9):717-31. doi: https://doi.org/10.1177/107110070502600910
40. Molines L, Darmon P, Raccah D. Charcot's foot: newest findings on its pathophysiology, diagnosis and treatment. *Diabetes Metab*. 2010;36(4):251-255. doi: https://doi.org/10.1016/j.diabet.2010.04.002
41. Wukich DK, Schaper NC, Gooday C, et al. Guidelines on the diagnosis and treatment of active Charcot neuro-osteoarthropathy in persons with diabetes mellitus (IWGDF 2023). *Diabetes Metab Res Rev*. 2024;40(3):e3646. doi: https://doi.org/10.1002/dmrr.3646
42. Raspovic KM, Schaper NC, Gooday C, et al. Diagnosis and treatment of active charcot neuro-osteoarthropathy in persons with diabetes mellitus: A systematic review. *Diabetes Metab Res Rev*. 2024;40(3):e3653. doi: https://doi.org/10.1002/dmrr.3653
43. Галстян Г.Р., Каминарская Ю.А. Патогенез остеоартропатии Шарко: роль периферической нервной системы // *Эндокринная хирургия*. — 2014. — Т. 8. — №4. — С. 5-14. [Galstyan GR, Kaminarskaya YA. The pathogenesis of Charcot osteoarthropathy: the role of the peripheral nervous system. *Endocrine Surgery*. 2014;8(4):5-14. (In Russ.)] doi: https://doi.org/10.14341/serg201445-14
44. Jeffcoate W, Game F. The Charcot Foot Reflects a Response to Injury That Is Critically Distorted by Preexisting Nerve Damage: An Imperfect Storm. *Diabetes Care*. 2022;45(7):1691-1697. doi: https://doi.org/10.2337/dc21-2508
45. Petrova NL, Edmonds ME. Charcot neuro-osteoarthropathy-current standards. *Diabetes Metab Res Rev*. 2008;24 Suppl 1:S58-S61. doi: https://doi.org/10.1002/dmrr.846
46. Бреговский В.Б. Лучевая диагностика диабетической нейроостеоартропатии Шарко // *Трансляционная медицина*. — 2021. — Т. 8. — №1. — С. 12-18. [Bregovskiy VB. Radiology diagnostics of the diabetic Charcot neuroarthropathy. *Translational Medicine*. 2021;8(1):12-18. (In Russ.)] doi: https://doi.org/10.18705/2311-4495-2021-8-1-12-18
47. Jones PJ, Davies MJ, Webb D, Berrington R, Frykberg RG. Contralateral foot temperature monitoring during Charcot immobilisation: A systematic review. *Diabetes Metab Res Rev*. 2023;39(4):e3619. doi: https://doi.org/10.1002/dmrr.3619
48. Moura-Neto A, Fernandes TD, Zantut-Wittmann DE, et al. Charcot foot: skin temperature as a good clinical parameter for predicting disease outcome. *Diabetes Res Clin Pract*. 2012;96(2):e11-e14. doi: https://doi.org/10.1016/j.diabres.2011.12.029
49. Dallimore SM, Puli N, Kim D, Kaminski MR. Infrared dermal thermometry is highly reliable in the assessment of patients with Charcot neuroarthropathy. *J Foot Ankle Res*. 2020;13(1):56. doi: https://doi.org/10.1186/s13047-020-00421-z
50. Fletcher T, Whittam A, Simpson R, Machin G. Comparison of non-contact infrared skin thermometers. *J Med Eng Technol*. 2018;42(2):65-71. doi: https://doi.org/10.1080/03091902.2017.1409818
51. Wukich DK, Sung W. Charcot arthropathy of the foot and ankle: modern concepts and management review. *J Diabetes Complications*. 2009;23(6):409-426. doi: https://doi.org/10.1016/j.jdiacomp.2008.09.004
52. Andersen LB, Dipreta J. Charcot of the calcaneus. *Foot Ankle Clin*. 2006;11(4):825-835. doi: https://doi.org/10.1016/j.fcl.2006.06.010
53. Rogers LC, Bevilacqua NJ. Imaging of the Charcot foot. *Clin Podiatr Med Surg*. 2008;25(2):263-274. doi: https://doi.org/10.1016/j.cpm.2008.01.002
54. Rogers LC, Frykberg RG, Armstrong DG, et al. The Charcot foot in diabetes. *Diabetes Care*. 2011;34(9):2123-2129. doi: https://doi.org/10.2337/dc11-0844
55. Gooday C, Game F, Woodburn J, et al. A randomised feasibility study of serial magnetic resonance imaging to reduce treatment times in Charcot neuroarthropathy in people with diabetes (CADOM). *J Foot Ankle Res*. 2023;16(1):2. doi: https://doi.org/10.1186/s13047-023-00601-7
56. Schlossbauer T, Mioc T, Sommerey S, Kessler SB, Reiser MF, Pfeifer KJ. Magnetic resonance imaging in early stage charcot arthropathy: correlation of imaging findings and clinical symptoms. *Eur J Med Res*. 2008;13(9):409-414.
57. Zampa V, Bargellini I, Rizzo L, et al. Role of dynamic MRI in the follow-up of acute Charcot foot in patients with diabetes mellitus. *Skeletal Radiol*. 2011;40(8):991-999. doi: https://doi.org/10.1007/s00256-010-1092-0
58. Gooday C, Hardeman W, Poland F, Woodburn J, Dhatariya K. Controversies in the management of active Charcot neuroarthropathy. *Ther Adv Endocrinol Metab*. 2023;14:20420188231160406. doi: https://doi.org/10.1177/20420188231160406
59. Martín Noguerol T, Luna Alcalá A, Beltrán LS, Gómez Cabrera M, Broncano Cabrero J, Vilanova JC. Advanced MR Imaging Techniques for Differentiation of Neuropathic Arthropathy and Osteomyelitis in the Diabetic Foot. *Radiographics*. 2017;37(4):1161-1180. doi: https://doi.org/10.1148/rg.2017160101
60. Rosskopf AB, Loupatatzis C, Pfirrmann CWA, Böni T, Berli MC. The Charcot foot: a pictorial review. *Insights Imaging*. 2019;10(1):77. doi: https://doi.org/10.1186/s13244-019-0768-9
61. Ertugrul BM, Lipsky BA, Savk O. Osteomyelitis or Charcot neuro-osteoarthropathy? Differentiating these disorders in diabetic patients with a foot problem. *Diabet Foot Ankle*. 2013;4:10.3402/dfa.v4i0.21855. doi: https://doi.org/10.3402/dfa.v4i0.21855
62. Tan PL, Teh J. MRI of the diabetic foot: differentiation of infection from neuropathic change. *Br J Radiol*. 2007;80(959):939-948. doi: https://doi.org/10.1259/bjr/30036666
63. Дворяньчиков Я.В., Токмакова А.Ю., Галстян Г.Р., и др. Дифференциальная диагностика диабетической нейроостеоартропатии и остеомиелита стопы при помощи методов медицинской визуализации // *Эндокринная хирургия*. — 2024. — Т. 18. — №2. — С. 30-38 [Dvoryanchikov YV, Tokmakova AY, Galstyan GR, et al. Differential diagnosis of diabetic neuroosteoarthropathy and osteomyelitis using medical imaging techniques. *Endocrine Surgery*. 2024;18(2):30-38. (In Russ.)] doi: https://doi.org/10.14341/serg12842
64. Basu S, Chryssikos T, Houseni M, et al. Potential role of FDG PET in the setting of diabetic neuro-osteoarthropathy: can it differentiate uncomplicated Charcot's neuroarthropathy from osteomyelitis and soft-tissue infection? *Nucl Med Commun*. 2007;28(6):465-472. doi: https://doi.org/10.1097/MNM.0b013e328174447f
65. Mautone M, Naidoo P. What the radiologist needs to know about Charcot foot. *J Med Imaging Radiat Oncol*. 2015;59(4):395-402. doi: https://doi.org/10.1111/1754-9485.12325
66. Campanaro NR, Gurr JM, Murray RJ. Percutaneous bone biopsy to distinguish osteomyelitis from charcot osteoarthropathy: two case reports. *Foot Ankle Int*. 2009;30(12):1219-1224. doi: https://doi.org/10.3113/FAI.2009.1219
67. Johnsen B. Acute Charcot's arthropathy: a difficult diagnosis. *JAAPA*. 2007;20(7):22-26. doi: https://doi.org/10.1097/01720610-200707000-00005
68. Lavery LA, Crisologo PA, La Fontaine J, Bhavan K, Oz OK, Davis KE. Are We Misdiagnosing Diabetic Foot Osteomyelitis? Is the Gold Standard Gold?. *J Foot Ankle Surg*. 2019;58(4):713-716. doi: https://doi.org/10.1053/j.jfas.2018.12.010
69. Leung HB, Ho YC, Wong WC. Charcot foot in a Hong Kong Chinese diabetic population. *Hong Kong Med J*. 2009;15(3):191-195

70. National Evidence-Based Guideline on Prevention. *Identification and Management of Foot Complications in Diabetes (Part of the Guidelines on Management of Type 2 Diabetes).* Melbourne; 2011
71. Sinacore DR, Hastings MK, Bohnert KL, et al. Inflammatory osteolysis in diabetic neuropathic (Charcot) arthropathies of the foot. *Phys Ther*. 2008;88(11):1399-1407. doi: https://doi.org/10.2522/ptj.20080025
72. Ziegler D, Tesfaye S, Spallone V, et al. Screening, diagnosis and management of diabetic sensorimotor polyneuropathy in clinical practice: International expert consensus recommendations. *Diabetes Res Clin Pract*. 2022;186:109063. doi: https://doi.org/10.1016/j.diabres.2021.109063
73. Baglioni P, Malik M, Okosieme OE. Acute Charcot foot. *BMJ*. 2012;344:e1397. doi: https://doi.org/10.1136/bmj.e1397
74. Petrova NL, Moniz C, Elias DA, Buxton-Thomas M, Bates M, Edmonds ME. Is there a systemic inflammatory response in the acute charcot foot? *Diabetes Care*. 2007;30(4):997-998. doi: https://doi.org/10.2337/dc06-2168
75. Svendsen OL, Rabe OC, Winther-Jensen M, Allin KH. How Common Is the Rare Charcot Foot in Patients With Diabetes? *Diabetes Care*. 2021;44(4):e62-e63. doi: https://doi.org/10.2337/dc20-2590
76. Tsatsaris G, Rajamand Ekberg N, Fall T, Catrina SB. Risk factors for Charcot foot development in individuals with diabetes mellitus. *Diabetologia*. 2024;67(12):2702-2710. doi: https://doi.org/10.1007/s00125-024-06271-9
77. Hjelm LR. Diabetes Mellitus: An Overview in Relationship to Charcot Neuroarthropathy. *Clin Podiatr Med Surg*. 2022;39(4):535-542. doi: https://doi.org/10.1016/j.cpm.2022.05.001
78. Rastogi A, Bhansali A, Jude EB. Efficacy of medical treatment for Charcot neuroarthropathy: a systematic review and meta-analysis of randomized controlled trials. *Acta Diabetol*. 2021;58(6):687-696. doi: https://doi.org/10.1007/s00592-020-01664-9
79. Демина А.Г., Бреговский В.Б., Карпова И.А. Диабетическая нейроостеоартропатия Шарко: обзор патологии и опыт амбулаторного лечения // *Consilium Medicum*. — 2020. — Т. 22. — №4. — С. 55–60 [Demina AG, Bregovskii VB, Karpova IA. Charcot diabetic neuroosteoartropathy: review of pathology and outpatient care experience. *Consilium Medicum*. 2020;22(4):55–60. (In Russ.)] doi: https://doi.org/10.26442/20751753.2020.4.200130
80. Удовиченко О.В., Бублик Е.В., Максимова Н.В., и др. Эффективность иммобилизирующих разгрузочных повязок Total Contact Cast: обзор зарубежных рандомизированных клинических исследований и собственные данные // *Сахарный диабет*. — 2010. — Т. 13. — №2. — С. 50–55. [Udovichenko OV, Bublik EV, Maksimova NV, et al. Effectiveness of immobilizing off-loading dressings (Total Contact Cast): a review of foreign randomized clinical trials and original data. *Diabetes mellitus*. 2010;13(2):50–55. (In Russ.)] doi: https://doi.org/10.14341/2072-0351-5674
81. Wukich DK, Sung W, Wipf SA, Armstrong DG. The consequences of complacency: managing the effects of unrecognized Charcot feet. *Diabet Med*. 2011;28(2):195-198. doi: https://doi.org/10.1111/j.1464-5491.2010.03141.x
82. Verity S, Sochocki M, Embil JM, Trepman E. Treatment of Charcot foot and ankle with a prefabricated removable walker brace and custom insole. *Foot Ankle Surg*. 2008;14(1):26-31. doi: https://doi.org/10.1016/j.fas.2007.10.002
83. Hunter A. The treatment of Charcot neuroarthropathy with an Aircast Pneumatic Walker: a case study. *Podiatry Now.* 2006;9(7):44-47
84. Bus SA, Armstrong DG, Gooday C, et al. Guidelines on offloading foot ulcers in persons with diabetes (IWGDF 2019 update). *Diabetes Metab Res Rev*. 2020;36 Suppl 1:e3274. doi: https://doi.org/10.1002/dmrr.3274
85. Каминарская Ю.А. Диабетическая нейроостеоартропатия: современные подходы к диагностике и определению сроков иммобилизации (обзор) // *Эндокринная хирургия.* — 2015. — Т. 9. — №2. — С. 15-23 [Kaminarskaya YA. Diabetic neuroosteoarthropathy: the modern approaches for diagnosis and immobilization period determination (review). *Endocrine Surgery*. 2015;9(2):15-23. (In Russ.)] doi: https://doi.org/10.14341/serg2015215-23
86. Yammine K, Otayek J, Assi C. Evidence-based conservative limb preserving surgery for the diabetic foot complications: A systematic review of systematic reviews. *Foot Ankle Surg*. 2022;28(6):670-679. doi: https://doi.org/10.1016/j.fas.2021.08.006
87. Nilsen FA, Molund M, Hvaal KH. High Incidence of Recurrent Ulceration and Major Amputations Associated With Charcot Foot. *J Foot Ankle Surg*. 2018;57(2):301-304. doi: https://doi.org/10.1053/j.jfas.2017.10.008
88. Schneekloth BJ, Lowery NJ, Wukich DK. Charcot Neuroarthropathy in Patients With Diabetes: An Updated Systematic Review of Surgical Management. *J Foot Ankle Surg*. 2016;55(3):586-590. doi: https://doi.org/10.1053/j.jfas.2015.12.001
89. Shazadeh Safavi P, Jupiter DC, Panchbhavi V. A Systematic Review of Current Surgical Interventions for Charcot Neuroarthropathy of the Midfoot. *J Foot Ankle Surg*. 2017;56(6):1249-1252. doi: https://doi.org/10.1053/j.jfas.2017.06.011
90. Ha J, Hester T, Foley R, et al. Charcot foot reconstruction outcomes: A systematic review. *J Clin Orthop Trauma*. 2020;11(3):357-368. doi: https://doi.org/10.1016/j.jcot.2020.03.025
91. Ong SL, Bajuri MY, Mazli N. Outcome of Surgical Fixation for Midfoot Charcot Neuroarthropathy - A Systematic Review. *Malays Orthop J*. 2023;17(1):27-33. doi: https://doi.org/10.5704/MOJ.2303.004
92. Palena LM, Brocco E, Manzi M. Critical limb ischemia in association with Charcot neuroarthropathy: complex endovascular therapy for limb salvage. *Cardiovasc Intervent Radiol*. 2014;37(1):257-261. doi: https://doi.org/10.1007/s00270-013-0642-y
93. Оснач С.А., Виноградов В.А., Ерошенко А.В., и др. Реваскуляризация и последующая ортопедическая реконструкция стопы при диабетической нейроостеоартропатии Шарко // *Клиническая и экспериментальная хирургия. Журнал имени академика Б.В. Петровского*. — 2024. — Т. 12. — №2. — С. 81-92. [Osnach SA, Vinogradov VA, Eroshenko AV, et al. Revascularization and subsequent orthopedic reconstruction of the foot for diabetic Charcot neuroosteoarthropathy. *Clinical and Experimental Surgery. Petrovsky Journal*. 2024;12(2):81–92. (In Russ.)] doi: https://doi.org/10.33029/2308-1198-2024-12-2-81-92
94. Cates NK, Elmarsafi T, Bunka TJ, et al. Peripheral Vascular Disease Diagnostic Related Outcomes in Diabetic Charcot Reconstruction. *J Foot Ankle Surg*. 2019;58(6):1058-1063. doi: https://doi.org/10.1053/j.jfas.2019.06.002
95. Elmarsafi T, Anghel EL, Sinkin J, et al. Risk Factors Associated With Major Lower Extremity Amputation After Osseous Diabetic Charcot Reconstruction. *J Foot Ankle Surg*. 2019;58(2):295-300. doi: https://doi.org/10.1053/j.jfas.2018.08.059
96. Orioli L, Hammer F, Vande Berg B, Putineanu D, Maiter D, Vandeleene B. Prevalence, Characteristics, and Prognosis of Peripheral Arterial Disease in Patients With Diabetic Charcot Foot. *J Foot Ankle Surg*. 2021;60(6):1158-1163. doi: https://doi.org/10.1053/j.jfas.2021.04.021
97. Waibel FW, Schöni M, Kronberger L, et al. Treatment Failures in Diabetic Foot Osteomyelitis Associated with Concomitant Charcot Arthropathy: The Role of Underlying Arteriopathy. *Int J Infect Dis*. 2022;114:15-20. doi: https://doi.org/10.1016/j.ijid.2021.10.036
98. Al Omar H, Lahoti O, Edmonds M, Kavarthapu V. Ischaemic Charcot Midfoot Reconstruction Combined with Lateral Tibial Cortex Transverse Transport: Case Report. *Strategies Trauma Limb Reconstr*. 2025;20(1):50-55. doi: https://doi.org/10.5005/jp-journals-10080-1637
99. Imaoka S, Kudou G, Minata S, Furukawa M, Higashi T. Changes in physical function and ambulatory state after Achilles tendon lengthening for diabetic foot ulcers. *J Phys Ther Sci*. 2023;35(1):51-54. doi: https://doi.org/10.1589/jpts.35.51
100. Lavery LA, Armstrong DG, Boulton AJ; Diabetex Research Group. Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus. *J Am Podiatr Med Assoc*. 2002;92(9):479-482. doi: https://doi.org/10.7547/87507315-92-9-479
101. Ramanujam CL, Zgonis T. Surgical Correction of the Achilles Tendon for Diabetic Foot Ulcerations and Charcot Neuroarthropathy. *Clin Podiatr Med Surg*. 2017;34(2):275-280. doi: https://doi.org/10.1016/j.cpm.2016.10.013
102. Capobianco CM, Stapleton JJ, Zgonis T. The role of an extended medial column arthrodesis for Charcot midfoot neuroarthropathy. *Diabet Foot Ankle*. 2010;1:10.3402/dfa.v1i0.5282. doi: https://doi.org/10.3402/dfa.v1i0.5282
103. Khan O, Kavarthapu M, Edmonds M, Kavarthapu V. Surgical management of Charcot foot - The advancements over the past decade. *J Clin Orthop Trauma*. 2023;47:102317. doi: https://doi.org/10.1016/j.jcot.2023.102317
104. Farber DC, Juliano PJ, Cavanagh PR, Ulbrecht J, Caputo G. Single stage correction with external fixation of the ulcerated foot in individuals with Charcot neuroarthropathy. *Foot Ankle Int*. 2002;23(2):130-134. doi: https://doi.org/10.1177/107110070202300209

105. Pinzur MS, Gil J, Belmares J. Treatment of osteomyelitis in charcot foot with single-stage resection of infection, correction of deformity, and maintenance with ring fixation. *Foot Ankle Int*. 2012;33(12):1069-1074. doi: https://doi.org/10.3113/FAI.2012.1069
106. Hasan K, Metikala S, Vallem MMR. Salvage of Hindfoot Charcot with Osteomyelitis and Ulceration: A Case Report. *Medicines (Basel)*. 2022;9(12):61. doi: https://doi.org/10.3390/medicines9120061
107. Kavarthapu V, Budair B. Two-stage reconstruction of infected Charcot foot using internal fixation : a promising functional limb salvage technique. *Bone Joint J*. 2021;103-B(10):1611-1618. doi: https://doi.org/10.1302/0301-620X.103B10.BJJ-2021-0339.R2
108. Оснач С. А., Оболенский В. Н., Процко В. Г., и др. Метод двухэтапного лечения пациентов с тотальными и субтотальными дефектами стопы при нейроостеоартропатии Шарко // *Гений ортопедии*. – 2022. – Т. 28. — №4. – С. 523-531. [Osnach SA, Obolensky VN, Protsko VG, et al. Method of two-stage treatment of total and subtotal defects of the foot in Charcot neuroosteoarthropathy. *Genij Ortopedii.* 2022;28(4):523-531. (In Russ.)] doi: https://doi.org/10.18019/1028-4427-2022-28-4-523-531
109. Capobianco CM, Zgonis T. Abductor hallucis muscle flap and staged medial column arthrodesis for the chronic ulcerated charcot foot with concomitant osteomyelitis. *Foot Ankle Spec*. 2010;3(5):269-273. doi: https://doi.org/10.1177/1938640010382038
110. Ramanujam CL, Stapleton JJ, Zgonis T. Negative-pressure wound therapy in the management of diabetic Charcot foot and ankle wounds. *Diabet Foot Ankle*. 2013;4:10.3402/dfa.v4i0.20878. doi: https://doi.org/10.3402/dfa.v4i0.20878
111. Abbate OA, Lakhiani C, Janhofer DE, et al. Long Term Follow Up of a Vascularized Osteocutaneous Free Flap for Reconstruction in Charcot Neuroarthropathy: A Case Report. *Ann Plast Surg*. 2019;82(2):180-183. doi: https://doi.org/10.1097/SAP.0000000000001670
112. Short DJ, Zgonis T. Management of Osteomyelitis and Bone Loss in the Diabetic Charcot Foot and Ankle. *Clin Podiatr Med Surg*. 2017;34(3):381-387. doi: https://doi.org/10.1016/j.cpm.2017.02.008
113. Mak MF, Stern R, Assal M. Masquelet Technique for Midfoot Reconstruction Following Osteomyelitis in Charcot Diabetic Neuropathy: A Case Report. *JBJS Case Connect*. 2015;5(2):e28. doi: https://doi.org/10.2106/JBJS.CC.N.00112
114. Bajuri MY, Ong SL, Das S, Mohamed IN. Charcot Neuroarthropathy: Current Surgical Management and Update. A Systematic Review. *Front Surg*. 2022;9:820826. doi: https://doi.org/10.3389/fsurg.2022.820826
115. Herbst SA. External fixation of Charcot arthropathy. *Foot Ankle Clin*. 2004;9(3):595-609. doi: https://doi.org/10.1016/j.fcl.2004.05.010
116. Abar B, Kwon N, Allen NB, et al. Outcomes of Surgical Reconstruction Using Custom 3D-Printed Porous Titanium Implants for Critical-Sized Bone Defects of the Foot and Ankle. *Foot Ankle Int*. 2022;43(6):750-761. doi: https://doi.org/10.1177/10711007221077113
117. Kim M, Mann T, Kelly C, et al. Outcomes of Charcot Arthropathy Limb Salvage with Patient-Specific 3D-Printed Cage and Dynamic Hindfoot Fusion Nail Combination Fixation. *Research Square* [Internet]. 2024 [cited 2025 Dec 15]. Available from: https://www.researchsquare.com/article/rs-4096092/v1. doi: https://doi.org/10.21203/rs.3.rs-4096092/v1
118. Wang G, Lin J, Zhang H, Pei Y, Zhu L, Xu Q. Three-dimension correction of Charcot ankle deformity with a titanium implant. *Comput Assist Surg (Abingdon)*. 2021;26(1):15-21. doi: https://doi.org/10.1080/24699322.2021.1887356
119. Оснач С.А., Процко В.Г., Оболенский В.Н., и др. Замещение тотального дефекта таранной кости с использованием индивидуального 3D-имплантата из пористого титана при нейроостеоартропатии Шарко у пациентки с нейросифилисом // *Гений ортопедии*. — 2025. — Т. 31. — №1. — С. 66-73. [Osnach SA, Protsko VG, Obolensky VN, et al. Management of a total defect of the talus with a customized 3D-implant made of porous titanium for Charcot neuroosteoarthropathy in a patient with neurosyphilis: a case report. *Genij Ortopedii*. 2025;31(1):66-73. (In Russ.)] doi: https://doi.org/10.18019/1028-4427-2025-31-1-66-73
120. Kavarthapu V, Haldar A. PFord Reconstruction of unstable ankle charcot deformity using a 3-D printed titanium porous block and hindfoot nail - A case report. *Foot (Edinb)*. 2024;60:102116. doi: https://doi.org/10.1016/j.foot.2024.102116
121. Siddiqui NA, Millonig KJ, Mayer BE, Fink JN, McClure PK, Bibbo C. Increased Arthrodesis Rates in Charcot Neuroarthropathy Utilizing Distal Tibial Distraction Osteogenesis Principles. *Foot Ankle Spec*. 2022;15(4):394-408. doi: https://doi.org/10.1177/19386400221087822
122. Millonig KJ, Siddiqui NA. Tibial Lengthening and Intramedullary Nail Fixation for Hindfoot Charcot Neuroarthropathy. *Clin Podiatr Med Surg*. 2022;39(4):659-673. doi: https://doi.org/10.1016/j.cpm.2022.05.011
123. Schade VL, Andersen CA. A literature-based guide to the conservative and surgical management of the acute Charcot foot and ankle. *Diabet Foot Ankle*. 2015;6:26627. doi: https://doi.org/10.3402/dfa.v6.26627
124. Оснач С.А., Оболенский В.Н., Процко В.Г., и др. Сравнение ортопедической реконструкции деформаций стоп при диабетической артропатии Шарко с консервативным лечением на стадиях 1-2 по классификации Eichenholtz // *Гений ортопедии*. — 2023. — Т. 29. — №3. — С. 244-252. [Osnach SA, Protsko VG, Obolensky VN, et al. Comparison of orthopaedic reconstruction of diabetic Charcot foot Eichenholtz stages 1-2 and conservative treatment. *Genij Ortopedii*. 2023;29(3):244-252. (In Russ.)] doi: https://doi.org/10.18019/1028-4427-2023-29-3-244-252
125. Grant WP, Garcia-Lavin S, Sabo R. Beaming the columns for Charcot diabetic foot reconstruction: a retrospective analysis. *J Foot Ankle Surg*. 2011;50(2):182-189. doi: https://doi.org/10.1053/j.jfas.2010.12.002
126. Mateen S, Thomas MA, Jappar A, et al. Progression to Hindfoot Charcot Neuroarthropathy After Midfoot Charcot Correction in Patients With and Without Subtalar Joint Arthrodesis. *J Foot Ankle Surg*. 2023;62(4):731-736. doi: https://doi.org/10.1053/j.jfas.2023.03.004
127. Manchanda K, Wallace SB, Ahn J, et al. Charcot Midfoot Reconstruction: Does Subtalar Arthrodesis or Medial Column Fixation Improve Outcomes? *J Foot Ankle Surg*. 2020;59(6):1219-1223. doi: https://doi.org/10.1053/j.jfas.2020.07.001
128. Cullen BD, Weinraub GM, Van Gompel G. Early results with use of the midfoot fusion bolt in Charcot arthropathy. *J Foot Ankle Surg*. 2013;52(2):235-238. doi: https://doi.org/10.1053/j.jfas.2012.12.003
129. Dos Santos-Vaquinhas A, Parra G, Martínez P, Sobrón B, Cuervas-Mons M. Beaming in the Charcot foot: A case series with 12-month minimum follow-up. *Foot (Edinb)*. 2021;47:101814. doi: https://doi.org/10.1016/j.foot.2021.101814
130. Frøkjær J. Surgical treatment of midfoot charcot neuroarthropathy review of literature and our results after superconstruct reconstruction of midfoot charcot neuroarthropathy. *J Clin Orthop Trauma*. 2021;17:59-64. doi: https://doi.org/10.1016/j.jcot.2021.02.003
131. Mehlhorn AT, Walther M, Iblher N, Südkamp NP, Schmal H. Complication assessment and prevention strategies using midfoot fusion bolt for medial column stabilization in Charcot's osteoarthropathy. *Foot (Edinb)*. 2016;29:36-41. doi: https://doi.org/10.1016/j.foot.2016.10.005
132. Wirth SH, Viehöfer AF, Tondelli T, et al. Mid-term walking ability after Charcot foot reconstruction using the Ilizarov ring fixator. *Arch Orthop Trauma Surg*. 2020;140(12):1909-1917. doi: https://doi.org/10.1007/s00402-020-03407-5
133. Brodsky JW, Rouse AM. Exostectomy for symptomatic bony prominences in diabetic charcot feet. *Clin Orthop Relat Res*. 1993;(296):21-26
134. Catanzariti AR, Mendicino R, Haverstock B. Ostectomy for diabetic neuroarthropathy involving the midfoot. *J Foot Ankle Surg*. 2000;39(5):291-300. doi: https://doi.org/10.1016/s1067-2516(00)80045-9
135. Митиш В.А., Галстян Г.Р., Доронина Л.П., и др. Возможности хирургического лечения стопы Шарко, осложненной гнойной инфекцией. // *Эндокринная хирургия*. — 2008. — Т.2. — №2. — С.28-31. [Mitish VA, Galstyan GR, Doronina LP, et al. Vozmozhnosti khirurgicheskogo lecheniya stopy Sharko, oslozhnennoy gnoynoy infektsiey. *Endocrine Surgery*. 2008;2(2):28-31. (In Russ.)] doi: https://doi.org/10.14341/2306-3513-2008-2-28-31
136. Митиш В.А., Галстян Г.Р., Доронина Л.П., и др. Хирургическое лечение стопы Шарко, осложненной гнойной инфекцией // *Сахарный диабет*. — 2009. — Т. 12. — №1. — С. 59-63. [Mitish VA, Galstyan GR, Doronina LP, et al. Surgical treatment of Charcot foot with purulent infection. *Diabetes mellitus*. 2009;12(1):59-63. (In Russ.)] doi: https://doi.org/10.14341/2072-0351-5425

137. Митиш В.А., Пасхалова Ю.С., Гаряева В.В., и др. Опыт успешного комплексного лечения пациента с диабетической нейроостеоартропатией среднего отдела стопы в стадии гнойных осложнений. // *Раны и раневые инфекции. Журнал им. проф. Б.М. Костючёнка*. — 2017. — Т.4. — №4. — С.28–37. [Mitish VA, Paskhalova YS, Garyaeva VV, et al. The successful complex treatment diabetic neuroosteoarthropathy of the middle part of the foot in the stage of purulent complications. *Wounds and wound infections. The Prof. B. M. Kostuchenok Journal*. 2017;4(4):28–37.] doi: https://doi.org/10.25199/2408-9613-2017-4-4-28-37
138. Каландия М.М., Доронина Л.П., Митиш В.А., и др. Отдаленные результаты корригирующих хирургических вмешательств у пациентов с диабетической нейроостеоартропатией среднего отдела стопы // *Сахарный диабет*. — 2023. — Т. 26. — №5. — С. 64-472. [Kalandiya MM, Doronina LP, Mitish VA, et al. Long-term results of corrective surgical interventions in patients with diabetic midfoot neuroosteoarthropathy. *Diabetes mellitus*. 2023;26(5):464-472. (In Russ.)] doi: https://doi.org/10.14341/DM13000
139. Laurinaviciene R, Kirketerp-Moeller K, Holstein PE. Exostectomy for chronic midfoot plantar ulcer in Charcot deformity. *J Wound Care*. 2008;17(2):53-58. doi: https://doi.org/10.12968/jowc.2008.17.2.28178
140. Galli M, Scavone G, Vitiello R, Flex A, Caputo S, Pitocco D. Surgical treatment for chronic Charcot neuroarthropathy. *Foot (Edinb)*. 2018;36:59-66. doi: https://doi.org/10.1016/j.foot.2018.02.001
141. Sella EJ, Barrette C. Staging of Charcot neuroarthropathy along the medial column of the foot in the diabetic patient. *J Foot Ankle Surg*. 1999;38(1):34-40. doi: https://doi.org/10.1016/s1067-2516(99)80086-6
142. Molines-Barroso RJ, Lázaro-Martínez JL, Beneit-Montesinos JV, et al. Early Foot Structural Changes After Lateral Column Exostectomy in Patients With Charcot Foot. *Int J Low Extrem Wounds*. 2019;18(2):129-134. doi: https://doi.org/10.1177/1534734619848553
143. Kummen I, Phyo N, Kavarthapu V. Charcot foot reconstruction—how do hardware failure and non-union affect the clinical outcomes? *Ann Joint.* 2020;5:25. doi: https://doi.org/10.21037/aoj.2020.01.06
144. Richman J, Cota A, Weinfeld S. Intramedullary Nailing and External Ring Fixation for Tibiotalocalcaneal Arthrodesis in Charcot Arthropathy. *Foot Ankle Int*. 2017;38(2):149-152. doi: https://doi.org/10.1177/1071100716671884
145. Galhoum AE, Trivedi V, Askar M, et al. Management of Ankle Charcot Neuroarthropathy: A Systematic Review. *J Clin Med*. 2021;10(24):5923. doi: https://doi.org/10.3390/jcm10245923
146. Reinke C, Lotzien S, Yilmaz E, et al. Tibiocalcaneal arthrodesis using the Ilizarov fixator in compromised hosts: an analysis of 19 patients. *Arch Orthop Trauma Surg*. 2022;142(7):1359-1366. doi: https://doi.org/10.1007/s00402-021-03751-0
147. Rochman R, Jackson Hutson J, Alade O. Tibiocalcaneal arthrodesis using the Ilizarov technique in the presence of bone loss and infection of the talus. *Foot Ankle Int*. 2008;29(10):1001-1008. doi: https://doi.org/10.3113/FAI.2008.1001
148. Kavarthapu V, Guduri V, Hester T. Combined Charcot hindfoot and midfoot reconstruction using internal fixation method-surgical technique and single surgeon series. *Ann Jt*. 2023;8:10. doi: https://doi.org/10.21037/aoj-22-23
149. Caravaggi CM, Sganzaroli AB, Galenda P, et al. Long-term follow-up of tibiocalcaneal arthrodesis in diabetic patients with early chronic Charcot osteoarthropathy. *J Foot Ankle Surg*. 2012;51(4):408-411. doi: https://doi.org/10.1053/j.jfas.2012.04.007
150. Dalla Paola L, Volpe A, Varotto D, et al. Use of a retrograde nail for ankle arthrodesis in Charcot neuroarthropathy: a limb salvage procedure. *Foot Ankle Int*. 2007;28(9):967-970. doi: https://doi.org/10.3113/FAI.2007.0967
151. Ersin M, Demirel M, Chodza M, Bilgili F, Kiliçoglu OI. Mid-term results of hindfoot arthrodesis with a retrograde intra-medullary nail in 24 patients with diabetic Charcot neuroarthropathy. *Acta Orthop*. 2020;91(3):336-340. doi: https://doi.org/10.1080/17453674.2020.1746605
152. Siebachmeyer M, Boddu K, Bilal A, et al. Outcome of one-stage correction of deformities of the ankle and hindfoot and fusion in Charcot neuroarthropathy using a retrograde intramedullary hindfoot arthrodesis nail. *Bone Joint J*. 2015;97-B(1):76-82. doi: https://doi.org/10.1302/0301-620X.97B1.34542
153. La Fontaine J, Lavery L, Jude E. Current concepts of Charcot foot in diabetic patients. *Foot (Edinb)*. 2016;26:7-14. doi: https://doi.org/10.1016/j.foot.2015.11.001
154. Faglia E, Clerici G, Caminiti M, Curci V, Somalvico F. Influence of osteomyelitis location in the foot of diabetic patients with transtibial amputation. *Foot Ankle Int*. 2013;34(2):222-227. doi: https://doi.org/10.1177/1071100712467436
155. Winkler E, Schöni M, Krähenbühl N, Uçkay I, Waibel FWA. Foot Osteomyelitis Location and Rates of Primary or Secondary Major Amputations in Patients With Diabetes. *Foot Ankle Int*. 2022;43(7):957-967. doi: https://doi.org/10.1177/10711007221088552
156. van Netten JJ, Sacco ICN, Lavery L, et al. Clinical and biomechanical effectiveness of foot-ankle exercise programs and weight-bearing activity in people with diabetes and neuropathy: A systematic review and meta-analysis. *Diabetes Metab Res Rev*. 2024;40(3):e3649. doi: https://doi.org/10.1002/dmrr.3649
157. Sinacore DR, Hastings MK, Bohnert KL, et al. Immobilization-induced osteolysis and recovery in neuropathic foot impairments. *Bone*. 2017;105:237-244. doi: https://doi.org/10.1016/j.bone.2017.09.009
158. Hastings MK, Sinacore DR, Fielder FA, Johnson JE. Bone mineral density during total contact cast immobilization for a patient with neuropathic (Charcot) arthropathy. *Phys Ther*. 2005;85(3):249-256
159. McGregor PC, Lyons MM, Pinzur MS. Quality of Life Improvement Following Reconstruction of Midtarsal Charcot Foot Deformity: A Five Year Follow-Up. *Iowa Orthop J*. 2022;42(1):109-112
160. American Diabetes Association Professional Practice Committee. 12. Retinopathy, Neuropathy, and Foot Care: Standards of Care in Diabetes-2024. *Diabetes Care.* 2024;47(Suppl 1):S231-S243. doi: https://doi.org/10.2337/dc24-S012
161. Bus SA, Sacco ICN, Monteiro-Soares M, et al. Guidelines on the prevention of foot ulcers in persons with diabetes (IWGDF 2023 update). *Diabetes Metab Res Rev*. 2024;40(3):e3651. doi: https://doi.org/10.1002/dmrr.3651
162. Bus SA, van Deursen RW, Armstrong DG, et al. Footwear and offloading interventions to prevent and heal foot ulcers and reduce plantar pressure in patients with diabetes: a systematic review. *Diabetes Metab Res Rev*. 2016;32 Suppl 1:99-118. doi: https://doi.org/10.1002/dmrr.2702
163. Bus SA, Waaijman R, Arts M, et al. Effect of custom-made footwear on foot ulcer recurrence in diabetes: a multicenter randomized controlled trial. *Diabetes Care*. 2013;36(12):4109-4116. doi: https://doi.org/10.2337/dc13-0996
164. López-Moral M, Lázaro-Martínez JL, García-Morales E, García-Álvarez Y, Álvaro-Afonso FJ, Molines-Barroso RJ. Clinical efficacy of therapeutic footwear with a rigid rocker sole in the prevention of recurrence in patients with diabetes mellitus and diabetic polineuropathy: A randomized clinical trial. *PLoS One*. 2019;14(7):e0219537. doi: https://doi.org/10.1371/journal.pone.0219537
165. Korst GS, Ratliff HT, Torian J, et al. Delayed Diagnosis of Charcot Foot: A Systematic Review. *J Foot Ankle Surg*. 2022;61(5):1109-1113. doi: https://doi.org/10.1053/j.jfas.2022.01.008